

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 38] NEW DELHI, SATURDAY, SEPTEMBER 28, 1957/ASVINA 6, 1879

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st August, 1957

CHOLERA							SMALLPOX							PLAGUE						
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.					
Andhra Pradesh								Bihar—contd.												
"N.R."								Palamau . . . 51 20												
Total								Dhanbad . . . 2 1												
Total for w/e 24-8-57								Total " . . 1067 453												
Total for w/e 17-8-57								Total for w/e 24-8-57 1519 749												
								Total for w/e 17-8-57 795 323 5 1												
Assam								Bombay												
Kamrup 1								Greater Bombay . . . 14 2												
Darrang 2								Kaira . . . 2 1 12 5												
Total 2 .. 1								Ahmednagar . . . 2 1												
Total for w/e 24-8-57								East Khandesh . . 19 5												
Total for w/e 17-8-57 2 1								Nasik . . . 3												
Bihar								Poona . . . 79 4												
Patna 90 28								North Satara . . 17 5 1												
Gaya 202 96								South Satara . . 3												
Shahbad . . . 208 108								Sholapur . . . 12 5												
Saran 19 7								Thana . . . 3 2												
Champaran . . 3 1								Akola . . . 539 197												
Muzaffarpur . . 3 1								Amravati . . . 52 23												
Darbhanga . . 26 13								Amreli 8 2												
Monghyr . . . 194 75								Buldhana . . . 3 1												
Bhagalpur . . . 103 40								Baroda . . . 1												
Saharsa . . . 29 10								Chanda . . . 5 4 12												
Santal Paraganas . . 84 30								Wardha . . . 4 2												
Hazaribagh . . 53 23								Aurangabad . . . 5 1												
								Bhir . . . 12												

Explanation of Symbols used : C = Cases; D = Deaths; .. = Nil; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st August, 1957—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Bombay—contd.								Madras—contd.							
Parbhani	..	11	4	South Arcot	37	17
Surat	13	5	Tiruchirappalli	20	2
TOTAL	786	260	47	9	..	Tanjore	13
Total for w/e 24-8-57	227	72	49	27	Madurai	23	4
Total for w/e 17-8-57	156	41	82	21	Ramanathapuram	15	3
Delhi								Tirunelveli	68	42	4	2	..
"N.R."								North Arcot	6
TOTAL	Salem	66	17
Total for w/e 24-8-57	1	Coimbatore	6	1
Total for w/e 17-8-57	1	Nilgiris	5	1
Himachal Pradesh								Kanya Kumari	8	1
"N.R."								TOTAL	..	347	123	233	54
TOTAL	Total for w/e 24-8-57	235	70	230	53
Total for w/e 24-8-57	11	2	Total for w/e 17-8-57	83	34	144	52
Total for w/e 17-8-57	10	2	Manipur							
Kerala								TOTAL
Trivandrum	1	1	..	Total for w/e 24-8-57
Quilon	1	3	..	Total for w/e 17-8-57
Kottayam	2	1	..	Mysore							
Malabar	11	3	..	"N.R."							
TOTAL	15	8	..	TOTAL
Total for w/e 24-8-57	15	8	..	Total for w/e 24-8-57
Total for w/e 17-8-57	19	4	..	Total for w/e 17-7-57	38	17	42	15
Madhya Pradesh								Orissa							
"N.R."								Cuttack	94	53	6	1	..
TOTAL	Balasore	5	2	..
Total for w/e 24-8-57	Puri	28	13	9	1	..
Total for w/e 17-8-57	Bandh	7	7
Madras								Ganjam	26	4	..
Madras City	225	57	16	2	..	Koraput	23
Chingleput	54	24	14	4	..	Meyurbhanj	3	1

Explanation of Symbols used : C = Cases ; D = Deaths ; .. = Nil ; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st August, 1957—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
Orissa—contd.								Grand Total for India (Excluding Andhra Pradesh, Delhi, Himachal Pradesh, Madhya Pradesh, Mysore, Pondicherry, Punjab, Rajasthan, West Bengal and Uttar Pradesh)							
Dhenkanal	.	3	9	1	1	2,350 933 369 81							
Keonjhar	.	5	3	4								
Bolangir Patna	.	9	9								
Sundergarh	.	1								
TOTAL		150	95	74	9								
Total for w/e 24-8-57		133	84	73	24								
Total for w/e 17-8-57		57	33	97	25								
								Corresponding Total for w/e 24-8-57							
								2,119 975 367 112							
								Corresponding Total for w/e 17-8-57							
								1,095 433 349 104							
Pondicherry								ARREAR INFORMATION							
TOTAL	Madras							
Total for w/e 24-8-57		For w/e 24-8-57							
Total for w/e 17-8-57									
Punjab "N.R."															
TOTAL								
Total for w/e 24-8-57		1	1								
Total for w/e 17-8-57									
Rajasthan "N.R."															
TOTAL								
Total for w/e 24-8-57									
Total for w/e 17-8-57									
Tripura															
TOTAL								
Total for w/e 24-8-57		5								
Total for w/e 17-8-57		4	2								
Uttar Pradesh "N.R."															
TOTAL	.	135	47	32	10								
Total for w/e 24-8-57		135	47	32	10								
Total for w/e 17-8-57		318	89	40	14								
West Bengal "N.R."															
TOTAL								
Total for w/e 24-8-57									
Total for w/e 17-8-57		255	139	151	63								

Explanation of Symbols used: C=Cases; D=Deaths; ..=Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st August, 1957—concl'd.

CHOLERA		SMALLPOX		PLAGUE							
C.	D.	C.	D.	C.	D.	—					
Kerala—contd.						Madhya Pradesh—contd.					
<i>For w/e 8-6-57</i>											
Trivandrum	5	I	Mandla . . .	14	4
Quilon	8	Indore	4
Kottayam	1	Raipur . . .	4	2	10
Trichur	8	I	Sagar . . .	6	4
Malabar	4	I	Raigarh . . .	2	I	I
TOTAL	26	3	Nimar (Khargaon)	I	..
Madhya Pradesh						Narsinghpur . . .	4	I
<i>For w/e 3-8-57</i>						Bilaspur . . .	134	43	6	I	..
Shivpur	3	I	Mandsaur	3	2	..
Jabalpur . . .	13	Umaria . . .	21	4
						TOTAL . . .	198	59	27	5	..

Explanation of Symbols used.—C.=Cases; D.=Deaths; ..=Nil.

NEW DELHI-2 (INDIA);

The 23rd September, 1957.

H. R. SHARMA,

For Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4½ per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st August, 1957

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh				"N.R."										
Assam														
Gauhati	53	7	6.9	2	4	3.9	..	
Dibrugarh	48	3	3.3	1	1.1	..	
Silchar	45	40	46.2	1	8	9.2	1	
TOTAL	146	50	17.8	2	1	13	4.6		
Bihar				"N.R."										
Bombay														
Ahmedabad	915	812	46.1	..	1	..	35	20	99	..	383	21.8	126	
Ahmednagar	90	59	34.1	2	3	6	..	29	16.8	9	
Amalner	51	44	44.9	10	4	3	..	20	20.4	2	
Baroda	250	228	47.4	33	3	16	2	100	20.8	32	
Barsi	47	36	39.8	11	1	..	1	25	27.7	4	
Bhusawal	65	27	21.6	3	5	4.0	2	
Broach	68	23	17.6	7	2	6	..	29	22.2	6	
Cambay	42	36	44.6	3	2	..	23	28.5	6	
Chalisgaon†														
Dhulia	92	71	40.1	11	..	1	..	19	10.7	4	
Godrat														
Greater Bombay	3,590	1,776	25.7	..	2	..	5	51	120	1	758	11.0	198	
Jalgaon	82	139	88.1	9	25	15.9	5	
Kalyan	76	60	41.1	3	..	5	..	19	13.0	6	
Kolhapur	164	99	31.4	1	9	6	13	..	50	17.8	6	
Malegaon	65	43	34.4	1	5	1	1	..	14	11.2	..	
Miraj	45	22	25.4	2	..	17	19.6	..	
Nadiad	73	74	52.7	18	..	1	..	32	22.8	3	
Porbander	66	16	12.6	18	10	3	..	41	32.3	12	
Veraval	47	4	4.4	3	4	4.4	..	
Dhoraji	48	19	20.6	1	1	1	..	9	9.8	..	
Bhavnagar	158	81	26.7	19	7	11	..	56	18.4	19	
Rajkot	175	80	23.8	17	7	16	..	52	15.5	19	
Jamnagar	126	57	25.5	2	1	1	..	11	4.5	4	
Morvi	43	21	25.4	2	..	3	..	7	8.5	1	
Chanda	44	46	54.4	5	..	1	..	9	10.6	3	
Hinganghat	36	39	56.3	11	1	12	17.3	3	
Achalpur	39	34	45.3	16	6	4	..	29	38.7	4	
Nagpur	546	197	18.8	..	1	..	29	16	17	2	219	20.9	76	
Ycetmal	42	42	52.0	8	1	2	1	17	21.0	..	
Goncia	47	42	46.5	9	1	..	1	15	16.6	4	
Parbhani	41	10	12.7	8	..	4	..	13	16.5	..	
Aurangabad	76	9	6.2	1	6	4.1	..	
Nanded	84	28	17.3	4	1	..	4	2	2	..	26	16.1	..	
Jalna	72	13	9.4	1	..	2	..	6	4.3	1	
Nandurbar†														
Nasik	124	88	36.9	5	3	12	..	43	18.0	10	
Navasari	51	45	45.9	10	16	16.3	4	
Pandharpur	45	34	39.3	5	5	5	..	24	27.7	9	
Patan	48	45	48.8	2	2	8	..	19	20.6	5	
Poona	634	277	22.7	7	10	38	2	176	14.4	58	
Sangli	60	46	39.9	2	..	1	..	15	13.0	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information ; "N.R." = Information not received

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st August, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Satara . . .	41	22	27·9	2	16	20·3	3	
Sholapur . . .	308	250	42·2	9	14	35	..	130	21·9	34	
Surat . . .	257	227	45·9	25	9	21	1	154	31·2	40	
Thana . . .	64	24	19·5	6	5	16	13·0	2	
TOTAL . . .	9,037	5,345	30·8	5	5	..	387	198	462	11	2,695	15·5	720	
Delhi				"N.R."										
Kerala				"N.R."										
Madhya Pradesh				"N.R."										
Madras														
Ambur . . .	46	32	36·2	2	4	..	13	14·7	3	
Aruppukottai . . .	58	53	47·5	4	2	1	1	11	9·9	1	
Bodinayakanpur . . .	41	24	30·4	1	..	5	6·3	..	
Nagercoil . . .	97	27	14·5	3	3	19	10·2	..	
Chidambaram . . .	41	38	48·2	1	2	1	..	13	16·5	6	
Coimbatore . . .	242	317	68·1	9	22	20	4	138	29·7	28	
Cuddalore . . .	75	95	65·9	2	2	5	1	30	20·8	7	
Dindigul . . .	93	29	16·2	2	3	2	..	12	6·7	2	
Brode . . .	70	40	29·7	5	3	..	17	12·6	..	
Gobichetty Palyan . . .	40	9	11·7	..	1	1	..	3	3·9	..	
Guddiyattam . . .	54	31	29·9	1	2	5	..	16	15·4	..	
Kancheepuram . . .	92	83	46·9	3	16	..	36	20·3	11	
Karajkudi . . .	45	32	37·0	2	1	3	..	17	19·6	5	
Karur . . .	52	26	26·0	1	..	1	..	11	11·0	2	
Kumbakonam . . .	108	89	43·0	4	2	6	1	39	18·8	9	
Madras . . .	1,770	1,210	35·5	61	2	..	88	113	225	4	839	24·6	245	
Mathurai . . .	443	304	35·7	..	2	..	11	11	28	1	178	20·9	38	
Mayuram . . .	51	40	40·8	2	1	20	20·4	3	
Malapalyam . . .	42	15	18·6	1	2	3	1	13	16·1	2	
Nagapattinam . . .	61	63	53·7	1	3	2	1	23	19·6	6	
Ootacamund . . .	49	52	55·2	..	1	3	..	12	12·7	3	
Palni . . .	41	29	36·8	1	7	..	15	19·0	3	
Palayamkottai . . .	46	50	56·5	1	1	..	1	1	30	33·9	4	
Periyakulam . . .	34	40	61·2	1	4	2	..	15	22·9	6	
Pollachi †														
Pudukottai . . .	51	18	18·4	6	6·1	1	
Rajapalayam . . .	71	41	30·0	2	3	2	..	15	11·0	3	
Salem . . .	250	160	33·2	..	7	..	8	7	12	1	64	13·3	7	
Srirangam . . .	43	31	37·5	1	1	2	..	9	10·9	1	
Srivilliputtur . . .	44	41	48·4	3	2	1	..	21	24·8	4	
Tanjore . . .	122	149	63·5	..	1	..	1	..	2	..	27	11·5	3	
Tiruvannamalai . . .	46	45	50·9	2	2	13	14·7	2	
Tirunelveli . . .	82	57	36·1	5	1	2	8	..	42	26·6	8	
Tiruppur . . .	65	75	60·0	1	4	2	2	19	15·2	4	
Tiruchirappalli . . .	258	183	36·9	2	3	2	1	62	12·5	13	
Tuticorin . . .	114	111	50·6	1	4	11	..	32	14·6	5	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); ..—Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st August, 1937—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :--								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras—contd.														
Vaniyambadi . . .	44	25	29.5	1	..	4	..	10	11.8	3	
Vellore . . .	129	127	51.2	2	10	10	..	58	23.4	12	
Villupuram . . .	40	58	75.4	2	4	..	13	16.9	2	
Virudunagar . . .	54	57	54.9	3	4	1	..	15	14.4	3	
TOTAL	5,104	3,906	39.8	67	16	..	159	225	402	22	1,931	19.7	455	
Mysore														
Bangalore . . .	1,023	384	19.5	7	27	45	..	80	4.1	..	
Mysore . . .	306	244	41.5	14	5	2	..	49	8.3	..	
Kolar Gold Fields . . .	176	100	29.5	5	5	6	1	41	12.1	..	
Bellary . . .	80	19	12.3	3	1	1	..	18	11.7	..	
Davangere . . .	72	30	21.7	5	3	21	15.2	..	
Shimoga . . .	59	26	22.9	8	2	..	1	12	10.6	..	
Hospet . . .	47	25	27.7	2	3	..	16	17.7	..	
Chitaldrug . . .	32	13	21.1	4	6.5	..	
Hassan . . .	32	36	58.5	11	17.9	..	
Belgaum . . .	113	58	26.7	10	..	2	1	28	12.9	..	
Dharwar . . .	79	27	17.8	2	1	..	1	22	14.5	..	
Mangalore . . .	141	114	42.0	3	5	3	..	45	16.6	..	
Bagalkot . . .	37	33	46.4	4	..	4	1	12	16.9	..	
TOTAL	2,197	1,109	26.2	61	51	66	5	369	8.7	..	
Orissa														
Berhampur . . .	75	45	31.2	..	7	..	3	2	1	..	24	16.6	5	
Cuttack . . .	121	109	46.8	1	6	17	12	1	90	38.7	10	
Puri . . .	55	46	43.5	..	1	..	22	10	1	..	52	49.2	15	
TOTAL . . .	251	200	41.4	1	8	..	31	29	14	1	166	34.4	30	
Pondicherry . . .	69	89	67.1	3	3	4	5	33	24.9	18	
Punjab														
Ambala . . .	67	82	63.6	3	4	3	..	17	13.2	5	
Amritsar . . .	351	238	35.3	1	5	27	..	72	10.7	28	
Batala . . .	64	31	25.2	4	4	3.3	2	
Bhatinda . . .	40	31	40.3	2	2	2.6	..	
Bhiwari . . .	58	70	62.8	6	2	1	..	13	11.7	6	
Ferozepore . . .	46	25	28.3	3	1	1	..	6	6.8	4	
Hissar . . .	40	31	40.3	4	6	7.8	2	
Hoshiarpur . . .	52	26	26.0	6	6	6.0	4	
Jullundur . . .	207	145	36.4	9	2	9	..	30	7.5	6	
Karnal . . .	74	40	28.1	4	..	1	..	9	6.3	4	
Malerkotla . . .	35	26	38.6	9	10	14.9	..	
Ludhiana . . .	182	173	49.4	8	32	9.2	8	
Moga . . .	42	39	48.3	2	4	5.0	..	
Panipat . . .	66	35	27.6	8	12	9.4	6	
Patiala . . .	115	74	33.5	16	..	2	..	36	16.3	16	
Pathankot . . .	36	14	20.2	2	1	..	4	5.8	1	
Rewari . . .	37	72	37.9	4	2	2	..	10	14.1	1	
Rohtak . . .	110	96	45.4	6	..	1	..	13	6.1	4	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st August, 1957—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C	S.	P.	F.	D.D.	R.D.	M.D.				
Punjab —contd.														
Simla	51	38	38.7	1	2	2.0	1	..
Sonapat	35	33	49.0	1	5	7.4	2	..
TOTAL	1,708	1,274	38.8	96	19	48	..	253	8.9	100	..
Rajasthan														
"N. R."														
Uttar Pradesh														
Agra	385	250	33.8	1	28	..	62	8.4	9	..
Allahabad	358	196	28.5	2	3	30	..	90	13.1	15	..
Amroha	61	60	51.3	8	1	6	..	37	31.5	20	..
Bahraich	48	27	29.3	5	1	1	..	9	9.8	2	..
Banaras	394	397	52.4	55	11	14	..	245	32.3	63	..
Balla†														
Banda†														
Bareilly	206	89	22.5	8	2	7	..	26	6.6	6	..
Budaun	54	30	28.9	3	12	11.5	7	..
Basti†														
Bulandshahr†														
Chandaul†	42	37	45.8	3	1	1	..	11	13.6	4	..
Dehra Dun	153	111	37.7	5	3	9	..	42	14.3	11	..
Etawah†														
Faizabad-Ayodhya	90	44	35.4	2	1	1	..	10	5.8	1	..
Farrukhabad-Fatehgarh	84	36	22.3	26	6	7	3	1	49	30.3	3	..
Perozabad	82	76	48.2	5	19	12.0	6	..
Gazlabad	48	31	33.6	7	11	11.9	5	..
Gazipur	37	20	28.1	5	1	9	2.6	1	..
Gorakhpur	143	80	29.1	10	2	3	..	26	9.4	3	..
Gonda	35	9	13.4	1	..	1	..	2	3.0
Hapur	50	41	42.6	7	3	14	14.6	3	..
Hardwar	67	38	29.5	16	1	4	..	34	26.4	11	..
Hathras	64	89	72.3	14	2	2	..	23	18.7	9	..
Jaunpur	58	28	25.1	6	1	6	1	20	17.9	2	..
Jhansi	119	102	44.6	13	37	16.2	13	..
Kanpur	757	393	27.0	118	22	41	6	296	20.3	86	..
Kasgan†														
Khurja	41	35	44.4	6	11	14.0	3	..
Koil-Aligarh	154	96	32.4	5	..	3	18	6.1	5	..
Lucknow	506	304	31.2	74	20	19	..	218	22.4	44	..
Mathura	114	73	33.3	11	..	7	..	24	10.9	7	..
Mau-Nath Bhanjan†														
Meerut	191	141	38.4	7	3	9	..	24	6.5	4	..
Mirzapur Vindhyachal	99	58	30.5	16	2	4	..	47	24.7	10	..
Moradabad	167	125	38.9	8	3	6	2	30	9.3	10	..
Muzaffarnagar	75	40	27.7	9	..	2	..	14	9.7	3	..
Pilibhit†														
Rampur	164	35	11.1	3	..	2	..	9	2.9	2	..
Saharanpur	167	130	40.5	28	2	4	..	48	14.9	22	..
Sambhal	66	81	63.8	13	5	2	..	28	22.1	10	..
Shahjahanpur	112	65	30.2	20	1	2	..	39	18.1	12	..
Sitapur	51	14	14.3	8	2	13	13.3	5	..
TOTAL	5,242	3,381	33.5	26	507	101	217	11	1,607	15.9	417	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R. = Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st August, 1957—*contd.*

Deaths from:—

Town	Midyear Popul. Est. (000)		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total D.R.*	I.D.
West Bengal													
"N.R."													
ARREAR RETURNS													
Madhya Pradesh													
For w/e 13-7-57													
Greater Gwalior	281	83	15.4	..	2	..	4	2	21	3.9	..
Ujjain	162	53	17.0	16	1	..	1	41	13.2	8
Ratlam	76	30	20.5	1	..	4	..	11	7.5	..
Khandwa	61	29	24.7	8	16	13.6	..
Burhanpur	81	83	53.3	10	7	8	..	32	20.5	..
Bilaspur	40	25	32.5	..	2	..	7	1	3	..	26	33.8	..
Mandsaur	42	10	12.4	2	..	2	2.5	..
Itarsi	32	24	39.0	3	6	9.7	3
TOTAL	775	337	22.6	..	4	..	49	11	17	1	155	10.4	11
For w/e 20-7-57													
Greater Gwalior	281	81	15.0	..	1	..	5	21	3.9	..
Indore	381	433	50.1	15	..	26	2	117	16.0	30
Ratlam	76	22	15.1	5	..	11	..	21	14.4	..
Khandwa	61	40	34.1	4	11	9.4	..
Burhanpur	81	70	44.9	5	2	2	..	26	16.7	..
Bilaspur	40	39	50.7	12	33	42.9	..
Mandsaur	42	10	12.4	1	1.2	..
Itarsi	32	16	26.0	3	4	6.5	..
TOTAL	994	711	37.2	..	1	..	49	2	39	2	234	12.2	30
For w/e 15-6-57 (Supplementary)													
Bilaspur	40	25	32.5	..	2	..	5	22	28.6	3
Chhindwara	32	18	29.3	5	..	2	..	18	29.3	..
Mandsaur	42	8	9.9
For w/e 22-6-57 (Supplementary)													
Ujjain	162	50	16.0	9	1	34	10.9	11
Chhindwara	32	25	40.6	5	16	26.0	..
Indore	381	167	22.8	20	7	7	4	96	13.1	36
Kerala													
For w/e 17-8-57													
Trivandrum	226	275	63.3	7	8	12	..	85	19.6	8
Quilon	77	45	30.4	4	2.7	..
Alleppey	155	72	24.0	2	3	5	..	28	9.4	5
Changanacherry	42	31	38.4	1	..	6	7.4	1
Kottayam	52	58	58.0	1	2	..	11	11.0	1
Mattancherry	87	92	55.0	1	2	..	11	6.8	3
Ernakulam	72	48	34.7	1	1	2	..	18	13.0	2
Trichur	78	29	19.3	2	3	6	..	16	10.7	1
Kozhikode	181	87	25.0	10	6	10	..	86	24.7	16
Palaghat	79	41	27.0	1	3	6	..	36	23.7	5
Cananore	48	21	22.8	2	9	9.8	2
Tellicherry	42	34	41.1	1	4	..	19	23.0	5
TOTAL	1,140	833	38.0	25	27	50	..	329	15.0	49

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st August, 1957—contd.

Town		Mid-year Popu. Est. (000)	Deaths from :—											Total D.R.* I.D.	
			B.	BR.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Rajasthan			For w/e 24-8-57												
Ajmer	.	230	107	24.2	12	7	2	..	35	7.9	11	
Beawar	.	61	20	17.0	9	1	3	..	15	12.6	4	
Bikaner	.	118	50	22.0	..	1	..	2	1	2	..	13	5.7	3	
Churu	.	49	5	5.3	
Sikar	.	52	19	19.0	4	1	3	..	13	13.0	..	
Tonk	.	46	7	7.9	
Udaipur	.	110	9	4.3	2	6	2.8	2	
TOTAL			666	217	16.9	..	1	..	29	10	10	..	82	6.4	20
			For w/e 10-8-57												
Ajmer	.	230	70	15.8	11	..	5	..	33	7.5	8	
Beawar	.	61	12	10.2	11	1	6	..	28	23.9	6	
Jodhpur	.	207	93	23.4	37	7	7	2	90	22.6	36	
Sikar	.	52	5	5.0	2	2	12.0	..	
TOTAL			550	180	17.0	61	8	18	2	153	14.5	50	
			For w/e 10-8-57 (Supplementary)												
Alwar	.	61	49	41.8	1	..	2	..	13	11.1	3	
Bharatpur	.	39	1	1.3	1	1	1.3	..	
Churu	.	49	4	4.2	
Jodhpur	.	207	39	9.8	..	2	..	13	4	3	..	31	7.8	9	
Tonk	.	46	1	1.1	..	
			For w/e 3-8-57												
Jodhpur	.	207	46	11.5	..	3	..	8	5	3	2	27	6.8	17	
Alwar	.	61	37	31.5	3	2	..	12	10.1	..	
			For w/e 27-7-57												
Alwar	.	61	30	25.6	2	1	1	1	11	9.4	4	
			For w/e 20-7-57												
Do.	.	61	51	43.5	2	1	7	6.0	3	
			For w/e 13-7-57												
Do.	.	61	43	36.6	2	..	3	..	11	9.4	3	
			For w/e 6-7-57												
Do.	.	61	47	40.1	1	..	5	1	18	15.1	..	
			For w/e 13-7-57												
Jaipur	.	367	65	9.2	37	6	7	3	111	15.7	19	
			For w/e 3-8-57												
Sikar	.	52	
Ganganagar	.	50	10	10.4	4	9	9.4	..	

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st August, 1957—conclu.

Deaths from :—															
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
Andhra Pradesh		For w/e 24-8-1957													
Adoni	66	47	37.0	1	1	3	..	14	11.0	2		
Anantpur	39	34	45.3	1	6	..	16	21.3	3		
Anakapalli	47	30	33.2	3	1	2	..	20	22.1	4		
Bhimavaram	37	59	82.9	5	..	1	..	17	23.9	4		
Chirala	45	54	62.4	7	16	18.5	6		
Chittoor	46	32	36.2	4	1	13	14.7	3		
Kothagudiam	76	38	26.0	—	4	2.8	..		
Guddapah†												
Eluru	102	73	37.2	7	4	3	1	61	31.1	12		
Gudivada†															
Nizamabad	70	11	8.2	1	1	2	1.5	2		
Guntur	153	206	70.0	5	7	8	2	102	34.7	35		
Guntakal	39	30	40.0	4	4	1	1	15	20.0	..		
Kakinada	117	66	29.3	8	1	1	..	23	10.2	6		
Hyderabad City	1102	463	21.8	35	5	10	..	58	2.7	..		
Kurnool	70	44	32.7	3	3	7	1	35	26.0	6		
Masulipatnam															
Nandyal	38	51	69.8	5	..	6	4	49	67.1	10		
Secunderabad City	188	124	34.3	..	1	..	2	2	5	..	43	21.9	11		
Nellore	98	116	61.5	5	1	2	1	49	26.0	15		
Proddatur†															
Rajahmundry.	126	91	37.5	3	3	2	1	47	19.4	8		
Tenali	70	64	47.5	3	..	6	..	22	16.3	3		
Vijayvada†															
Visakhapatnam	133	106	41.4	..	2	..	12	9	21	4	92	36.0	19		
Warrangal	160	28	9.1	14	1	1	..	16	8.1	..		
Vizianagaram.	77	44	29.7	..	3	..	6	3	2	..	41	27.7	7		
TOTAL	2,899	1,811	32.5	1	6	..	132	48	87	15	764	13.7	1560		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information.

REMARKS

The figures of births and deaths shown in this statement for the period ending 31st August, 1957 relate to 154 towns with an estimated population of 23,754 thousands. Information about Andhra Pradesh, Bihar, Kerala, Delhi, Madhya Pradesh, Rajasthan and West Bengal. The total number of towns is 319 and their population is 42,930 thousands. Thus 48% of the total number of towns representing 55% of the total population is covered in this statement.

The number of births and deaths recorded in these towns were 15,314 and 7,107 representing birth and death rates of 33.6 and 15.5 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population. The following table gives the position by States:—

State	Current w/c 31-8-57		Corresponding w/c last year	
	B.R.	D.R.	B.R.	D.R.
Assam	17.8	4.6	8.1	4.1
Bombay	30.8	15.5	36.2	13.6
Madras	39.8	19.7	46.5	16.9
Mysore	26.2	8.7	21.8	8.9
Orissa	41.4	34.4	50.7	21.5
Pondichary	67.1	24.9	65.0	48.9
Punjab	38.8	8.9	40.2	12.0
Uttar Pradesh	33.5	15.9	43.6	16.6
India	33.6	15.5	39.8	14.8

NEW DELHI-2, (INDIA);
The 23rd Sept., 1957

H. R. SHARMA,
for Registrar General, India.